


DIN 931	ISO 4014	8.8
---------	----------	-----

Standard withdrawn



<b>BN 57</b>
<b>Hex head bolts</b>
partially threaded
Steel 8.8
zinc plated blue
<ul style="list-style-type: none"> <li>• ~UNI 5737</li> <li>• ~CSN 021101</li> </ul>

M10; M12; M14; M22: wrench size according to ISO on request

Article#	d <sub>1</sub>	e	k	s	b	L
1049119	M4	7,66	2,8	7	14	25
1049127						30
1049135						35
1049143						40
1049151						45
1049178						50
5504474						60
1049356	M5	8,79	3,5	8	16	30
1049364						35
1049372						40
1049380						45
1049399						50
5517734						55
1049402						60
1049410						70
1049429						80
1049658	M6	11,05	4	10	18	30
1049666						35
1049674						40
1049682						45
1049690						50
1115049						55

M10; M12; M14; M22: wrench size according to ISO on request

Article#	d <sub>1</sub>	e	k	s	b	L
1049704	M6	11,05	4	10	18	60
1115057						65
1049712						70
5402605						(75)
1049720						80
1049739						90
1049747						100
5402606						110
3059317						120
1049992	M8	14,38	5,3	13	22	35
1050001						40
1050028						45
1050036						50
1050044						55
1050052						60
1050060						65
1050079						70
1050087						(75)
1050095						80
5514448						(85)
1050109						90
1050117						100
1050125						110
1050133						120
5402608					28	130
1050141						140
1050168						150
1050176						160
5504486	M10	18,9	6,4	17	26	35
1050427						40
1050435						45
1050443						50
1050451						55
1050478						60
1050486						65
1050494						70
1050508						(75)
1050516						80
3092068						(85)
1050524						90
1050532						100

M10; M12; M14; M22: wrench size according to ISO on request

Article#	d <sub>1</sub>	e	k	s	b	L
1050540	M10	18,9	6,4	17	26	110
1050559						120
1050567					32	130
1050575						140
1050583						150
1050591						160
5402609						(170)
1050605						180
1050613						200
5504487	M12	21,1	7,5	19	30	40
1050834						45
1050842						50
1050850						55
1050869						60
1050877						65
1050885						70
1050893						(75)
1050907						80
1050915						90
1050923						100
1050931						110
1050958						120
1050966					36	130
1050974						140
1050982						150
1050990						160
5509430						(170)
1051008						180
5504694						(190)
1051016						200
5520918					49	220
5517566						240
5510369						260
5524246						300
1051148	(M14)	24,49	8,8	22	34	50
1051156						55
1051164						60
1051172						65
1051180						70
3092504						(75)
1051202						80

M10; M12; M14; M22: wrench size according to ISO on request

Article#	d <sub>1</sub>	e	k	s	b	L
1051210	(M14)	24,49	8,8	22	34	90
1051229						100
1051237						110
1051245						120
3093287					40	130
3092828						140
5512319						150
5522411						160
5511174						180
5511175						200
5504490	M16	26,75	10	24	38	50
1051407						55
1051415						60
1051423						65
1051431						70
1051458						(75)
1051466						80
5510373						(85)
1051474						90
1051482						100
1051490						110
1051504						120
1141481					44	130
1051512						140
1051520						150
1051539						160
5402612						(170)
1051547						180
5512892						(190)
1051555						200
3170913					57	220
3208591						240
1051636	(M18)	30,14	11,5	27	42	60
3092070						65
1051644						70
3092071						(75)
1051652						80
1051660						90
1051679						100
1051687						110
1051695						120

M10; M12; M14; M22: wrench size according to ISO on request

Article#	d <sub>1</sub>	e	k	s	b	L
3092505	(M18)	30,14	11,5	27	48	130
8210284						140
8210012						150
8209995						200
5504504	M20	33,53	12,5	30	46	60
1051849						65
1051857						70
1051865						(75)
1051873						80
1051881						90
1051903						100
1051911						110
1051938						120
1141503					52	130
1051946						140
1051954						150
1051962						160
5504688						(170)
1051970						180
5510610						(190)
1051989						200
2108224					65	220
2108232						240
2108240						260
2108259						280
2108267						300
5504516	(M22)	35,72	14	32	50	70
5517126						80
5512218						100
5521257						120
5402617	M24	39,98	15	36	54	(75)
1052063						80
1052071						90
1052098						100
1052101						110
1052128						120
1141511					60	130
1052136						140
1052144						150
1052152						160
1052160						180

M10; M12; M14; M22: wrench size according to ISO on request

Article#	d <sub>1</sub>	e	k	s	b	L
1052179	M24	39,98	15	36	60	200
2108275					73	220
2108283						240
2108291						260
2108305						280
2108313						300
5504524	(M27)	45,2	17	41	60	100
5504526						110
5516428						120
5518206					66	150
5521686						160
1052217	M30	50,85	18,7	46	66	90
1052225						100
1052233						110
1052241						120
1141538					72	130
1052268						140
1052276						150
1052284						160
1052292						180
1052306						200
2108321					85	220
2108348						240
2108356						260
2108364						280
2108372						300
8210187	(M33)	55,37	21	50	78	(170)
8210195	M36	60,79	22,5	55	78	120
8210209					84	180
8210217						200
8210225					97	240
8224188	M42	71,3	26	65	96	130
8224218	M48	82,6	30	75	108	140